

FACILITY COMPLIANCE INSPECTION REPORT

Division of Waste Management Solid Waste Section

UNIT	UNIT TYPE:												
Lined MSWLF	LCID	YW	Transfer	Compost	X SLAS		COUNTY: Onslow						
Closed MSWLF	HHW	White goods	Incin	T&P	FIRM		PERMIT NO.: SWCD67-01						
CDLF	Tire T&P / Collection	Tire Monofill	Industrial Landfill	DEMO	X SDTF		FILE TYPE: COMPLIANCE						

Date of Site Inspection: <u>5 September 2012</u> **Date of Last Inspection:** <u>2 March 2012</u>

FACILITY NAME AND ADDRESS:

Szymanic Vermicompost (Stone Creek Castings)

172 Stone Creek Road Holly Ridge, NC 28445

GPS COORDINATES: N: N34.58488 E: W 77.46987

FACILITY CONTACT NAME AND PHONE NUMBER:

Leonard M Szymanic 910.358.1806

FACILITY CONTACT ADDRESS:

Stone Creek Castings 172 Stone Creek Road Holly Ridge, NC 28445 **Attn: Leonard M Szymanic** E-mail: pondorolms@hotmail.com

PARTICIPANTS:

Ray Williams; DENR-Solid Waste

STATUS OF PERMIT:

Active; Vermicompost Demonstration Approval extension issued with an expiration date of 19 April 2013; an extension request with justification is due by 19 January 2013 if necessary.

PURPOSE OF SITE VISIT:

Comprehensive Facility Inspection

STATUS OF PAST NOTED VIOLATIONS:

None applicable

OBSERVED VIOLATIONS:

None

ADDITIONAL COMMENTS:

- 1) This facility is a Vermicomposting Demonstration Project consisting of reactor-type bins.
- 2) This facility should be operated in such a way as to prevent any threat to the public health or environment.
- 3) Composting at this site shall be limited to the materials listed as ingredients in the application:
 - a. Yard Waste
 - b. Wood Shavings
 - c. Cardboard and shredded paper
 - d. Horse and/or cattle manure
 - e. Vegetable waste
- 4) No unpermitted wastes were noted during this Facility Compliance Inspection.
- 5) Minimal leachate is being generated by the compost process at this time.
- 6) To prevent impacts to groundwater or surface waters, all leachate generated by the composting process is collected and recycled either within the vermicompost bin system or into a hydroponic watering system.
- 7) Operation of this facility and all composting activities should be maintained in accordance with 15A NCAC 13B Section .1406 of the State Solid Waste Management Rules.
- 8) Compost generated at this facility has been tested in accordance with 15A NCAC 13B Section .1407 of the State Solid

FACILITY COMPLIANCE INSPECTION REPORT

Division of Waste Management Solid Waste Section

SWCD6701-20120302

Page 2 of 2

- Waste Management Rules and has been approved by the Solid Waste Section for distribution to the public.
- 9) This facility operates a multi-bin vermicompost system; this multi-bin system has increased the volume of material processed and the efficiency of the vermicomposting process.
- 10) The bedding depth in the vermicompost bins is being maintained at ~12"-14" and the ingredients are layered and processed in accordance with Solid Waste Section recommendations. The composting process appears to be taking place efficiently.
- 11) The Conditions for Compliance in the Solid Waste Compost Demonstration Permit #SWCD67-01 were reviewed during this Facility Compliance Site Inspection; all conditions are being maintained as per the demonstration permit.
- 12) Compost product was reviewed during this Facility Compliance Inspection.
- 13) No violations were noted during this Facility Compliance Inspection.

Please contact me if you have any questions or concerns regarding this Facility Compliance Inspection Report.

Kay Williams

Ray Williams; Environmental Senior Specialist Phone: 252.948.3955 E-mail: ray.williams@ncdenr.gov

Regional Representative

Delivered on: 7 September 2012 by	X	Electronic delivery	US Mail	Certified No. [_]

cc: Dennis E Shackelford; Eastern District Supervisor/SWS: dennis.shackelford@ncdenr.gov
Martin A Gallagher; Composting and Land Applications Branch Head/SWS: tony.gallagher@ncdenr.gov
Jessica Montie; Chief Compliance Officer/SWS: Jessica.montie@ncdenr.gov

C: \2012\Onslow\Facilities\SWCD67-01\Audits\SWCD6701-20120905INSP NCDENR CARA Portal: https://edm.nc.gov/DENR-Portal/